


AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (original) A compound of Formula (I):



or a pharmaceutically acceptable salt, hydrate, solvate or N-oxide thereof, wherein:

X is selected from the group consisting of a bond, CH_2 , NR^{11} , O and S;

m is 1 or 2;

n is 0 or 1;

R^1 is selected from the group consisting of hydrogen, $[R^5NH(CHR^4)_pC(O)]-$, R^6- , $R^6C(O)-$ and $R^6OC(O)-$;

R^2 is $-OR^7$ or $-[NR^8(CHR^9)_qC(O)OR^7]$;

p and q are independently 1 or 2;

R^3 is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, substituted alkoxy, acyl, substituted acyl, alkoxy, substituted alkoxy, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

each R^4 is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, substituted alkoxy, acyl, substituted acyl, alkoxy, substituted alkoxy, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl,

substituted cycloheteroalkyl, heteroalkyl, substituted heteroalkyl, heteroaryl, substituted heteroaryl, heteroarylalkyl and substituted heteroarylalkyl, or optionally, when R^4 and R^5 are attached to adjacent atoms then R^4 and R^5 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring;

R^5 is selected from the group consisting of hydrogen, R^6 -, $R^6C(O)$ - and $R^6OC(O)$ -;

R^6 is selected from the group consisting of alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

R^7 is selected from the group consisting of hydrogen, alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

R^8 is selected from the group consisting of hydrogen, alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

each R^9 is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, substituted alkoxy, acyl, substituted acyl, alkoxycarbonyl, substituted alkoxycarbonyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, substituted cycloheteroalkyl, heteroalkyl, substituted heteroalkyl, heteroaryl, substituted heteroaryl, heteroarylalkyl and substituted heteroarylalkyl, or optionally, when R^8 and R^9 are attached to adjacent atoms then R^8 and R^9 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring;

R^{11} is selected from the group consisting of hydrogen, alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;


with the provisos that:

when R^1 is $[R^5NH(CHR^4)_pC(O)]$ - then R^2 is $-OR^7$; and

when R^2 is $-[NR^8(CHR^9)_qC(O)OR^7]$ then R^1 is not $[R^5NH(CHR^4)_pC(O)]$ -.

2. (original) The compound of Claim 1, wherein n is 0.


3. (original) The compound of Claim 1 having structural Formula (III):



wherein R⁴ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

4. (original) The compound of Claim 3, wherein R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.


5. (original) The compound of Claim 1 having structural Formula (IV):



wherein R⁴ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

6. (original) The compound of Claim 5, wherein R^4 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.


7. (original) The compound of Claim 1 having structural Formula (V):



wherein R^4 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

8. (original) The compound of Claim 7, wherein R^4 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.


9. (original) The compound of Claim 1 having structural Formula (VI):



wherein R^4 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

10. (original) The compound of Claim 9, wherein R^4 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

11. (original) The compound of Claim 1 having structural Formula (VII):




wherein R^3 is hydrogen or methyl; and

R^4 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

12. (original) The compound of Claim 11, wherein R^4 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

13. (original) A compound of Formula (VIII):




wherein R^3 is hydrogen or methyl; and

R^4 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl.

14. (original) The compound of Claim 13, wherein R^4 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

15. (original) The compound of Claim 1 having structural Formula (IX):



(IX)


wherein R⁸ is hydrogen or methyl; and

R⁹ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally R⁸ and R⁹ together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

16. (original) The compound of Claim 15, wherein R⁸ is hydrogen and R⁹ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

17. (original) The compound of Claim 15, wherein R⁸ and R⁹ together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.

18. (original) The compound of Claim 1 having structural Formula (X):




wherein R^8 is hydrogen or methyl; and

R^9 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally R^8 and R^9 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

19. (original) The compound of Claim 18, wherein R^8 is hydrogen and R^9 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

20. (original) The compound of Claim 19, wherein R^8 and R^9 together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.

21. (original) The compound of Claim 1 having structural Formula (XI):



wherein R³ is hydrogen or methyl;

R⁸ is hydrogen or methyl; and


R⁹ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally R⁸ and R⁹ together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

22. (original) The compound of Claim 21, wherein R³ is hydrogen.


23. (original) The compound of Claim 22, wherein R⁸ is hydrogen and R⁹ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

24. (original) The compound of Claim 22, wherein R⁸ and R⁹ together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.


25. (original) The compound of Claim 1 having structural Formula (XII):



26. (original) The compound of Claim 1 having structural Formula (XIII):




27. (original) The compound of Claim 1 having structural Formula (XIV):




wherein R³ is hydrogen or methyl.

28. (original) The compound of Claim 1 having Formula (XV):



wherein R^3 is hydrogen or methyl.

29. (original) A compound of Formula (II):



or a pharmaceutically acceptable salt, hydrate, solvate or N-oxide thereof, wherein:

n is 0 or 1;

R^{10} is hydrogen or $[R^5NH(CHR^4)_pC(O)]^-$;

p and q are independently 1 or 2;

R^3 is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, carbonyl, aryl, substituted aryl, arylalkyl, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

each R^4 is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, substituted alkoxy, acyl, substituted acyl, alkoxy, carbonyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, substituted cycloheteroalkyl, heteroalkyl, substituted heteroalkyl, heteroaryl, substituted heteroaryl, heteroarylalkyl and substituted heteroarylalkyl, or optionally, when R^4 and R^5

are attached to adjacent atoms then R^4 and R^5 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring;

R^5 is selected from the group consisting of hydrogen, R^6 -, $R^6C(O)$ - and $R^6OC(O)$ -;

R^6 is selected from the group consisting of alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;

R^8 is selected from the group consisting of hydrogen, alkyl, substituted alkyl, aryl, substituted aryl, arylalkyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, heteroaryl, substituted heteroaryl and heteroarylalkyl;


each R^9 is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkoxy, substituted alkoxy, acyl, substituted acyl, alkoxycarbonyl, substituted alkoxycarbonyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, carbamoyl, substituted carbamoyl, cycloalkyl, substituted cycloalkyl, cycloheteroalkyl, substituted cycloheteroalkyl, heteroalkyl, substituted heteroalkyl, heteroaryl, substituted heteroaryl, heteroarylalkyl and substituted heteroarylalkyl, or optionally, when R^8 and R^9 are attached to adjacent atoms then R^8 and R^9 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring;

with the proviso that:

when R^{10} is hydrogen then n is 1.

30. (original) The compound of Claim 29, wherein n is 0.

31. (original) The compound of Claim 29 having structural Formula (XVI):



wherein R⁴ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl;

R⁸ is hydrogen or methyl; and

R⁹ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally, R⁸ and R⁹ together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

32. (original) The compound of Claim 31, wherein R⁸ is hydrogen and R⁹ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

33. (original) The compound of Claim 31, wherein R⁸ and R⁹ together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.

34. (original) The compound of Claim 31, wherein R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

35. (original) The compound of Claim 32 or 33, wherein both the N- and C-terminal amino acid residues are of the L-configuration.

36. (original) The compound of Claim 35, wherein R⁸ is hydrogen, R⁹ is methyl and R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H,


-CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH,
-CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl,
4-imidazolylmethyl and 3-indolylmethyl.

37. (original) The compound of Claim 35, wherein R⁸ is hydrogen, R⁹ is -CH₂CONH₂ and R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

38. (original) The compound of Claim 35, wherein R⁸ is hydrogen, R⁹ is benzyl and R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

39. (original) The compound of Claim 35, wherein R⁸ is hydrogen, R⁹ is 4-hydroxybenzyl and R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

40. (original) The compound of Claim 29 having structural Formula (XVII):



wherein R^3 is hydrogen or methyl;


R^8 is hydrogen or methyl; and

R^9 is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally R^8 and R^9 together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

41. (original) The compound of Claim 40, wherein R^8 is hydrogen and R^9 is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, $-\text{CH}_2\text{OH}$, $-\text{CH}(\text{OH})\text{CH}_3$, $-\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{CH}_2\text{SCH}_3$, $-\text{CH}_2\text{SH}$, $-\text{CH}_2(\text{CH}_2)_3\text{NH}_2$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{NHC}(\text{NH})\text{NH}_2$, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

42. (original) The compound of Claim 40, wherein R^8 and R^9 together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.

43. (original) The compound of Claim 29 having structural Formula (XVIII):



wherein R^3 is hydrogen or methyl;

R⁴ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl;

R⁸ is hydrogen or methyl; and

R⁹ is selected from the group consisting of hydrogen, alkanyl, substituted alkanyl, aryl, substituted aryl, arylalkanyl, substituted arylalkanyl, cycloalkanyl, heteroarylalkanyl and substituted heteroarylalkanyl, or optionally, R⁸ and R⁹ together with the atoms to which they are bonded form a cycloheteroalkyl or substituted cycloheteroalkyl ring.

44. (original) The compound of Claim 43, wherein R⁸ is hydrogen and R⁹ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

45. (original) The compound of Claim 43, wherein R⁸ and R⁹ together with the atoms to which they are bonded form an azetidine, pyrrolidine or piperidine ring.

46. (original) The compound of Claim 44 or 45, wherein R⁴ is selected from the group consisting of hydrogen, methyl, isopropyl, isobutyl, *sec*-butyl, *t*-butyl, cyclopentyl, cyclohexyl, -CH₂OH, -CH(OH)CH₃, -CH₂CO₂H, -CH₂CH₂CO₂H, -CH₂CONH₂, -CH₂CH₂CONH₂, -CH₂CH₂SCH₃, -CH₂SH, -CH₂(CH₂)₃NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, phenyl, benzyl, 4-hydroxybenzyl, 4-imidazolylmethyl and 3-indolylmethyl.

47. (currently amended) A method for treating or reducing risk of acquiring or preventing migraine, nausea, vomiting, anxiety, seizures, convulsions, trauma of the central nervous system, and neurodegenerative conditions including selected from the group consisting of Friedrich's disease, Parkinson's disease, Alzheimer's disease, Huntington's disease, amyotrophic lateral sclerosis (ALS), multiple sclerosis (MS) and Pick

disease in a patient, comprising administering to a patient in need of such treatment or reduction in risk ~~or prevention~~ a therapeutically effective amount of a compound according to Claim 1 or 29.

48. (original) A pharmaceutical composition comprising a therapeutically effective amount of a compound according to Claim 1 or 29 and a pharmaceutically acceptable vehicle.